

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

VIRTUAL APPLICATIONS ARCHITECTURE




Fig. 7

200




Fig. 8




Fig. 9

400




Fig. 10

410

Deployment Target Options
Enter a name for this deployment and select its type.

Source server:

Deployment name:

☒ **Deploy content inside the current cluster**
Deploy content to one or more cluster members within the current cluster.

☐ **Deploy content outside the current cluster**
Deploy content to one or more Application Center clusters or members outside the current cluster.

412

Deployment Source Authentication
Enter credentials with administrative privileges for the source server.

Source:

User name:

Password:

Domain:

Fig. 11

414

Deployment Target Authentication
 Enter credentials with administrative privileges for all deployment targets.

This account will be used for authentication on all targets in this deployment.

User name:

Password:

Domain:

416

Deployment Targets Within the Cluster
 Select one or more cluster members.

To deploy to the entire cluster, select the controller. To deploy to one or more members, select each member. CDM+ applications and ISAPI filters must be deployed manually throughout the cluster.

Targets:

- ☐ Server member 1
- ☐ Server controller 3
- ☐ Server member 7

418

Fig. 12

Deployment Targets
Enter one or more deployment targets.

To deploy to an entire cluster, enter the controller name. To deploy to a specific member, enter the member name. COM+ applications and ISAPI filters must be deployed manually throughout the cluster.

Target:

Server member 1

Server controller 3

Server member 7

Browse...

Add...

Remove

420

Deployment Content
Select the content for this deployment.

☒ Deploy all applications and related cluster configuration

☐ Deploy one or more applications:

Accounts Payable Application

HR Tracking Application

My Web Application

424

426

Deployment Options
Select deployment options.

☒ **Deploy folder and file permissions (NTFS only)**
Deploying folder and file permissions will overwrite folder and file permissions on the target.

☐ **Deploy COM+ applications**
Deploying COM+ applications will reset Internet Information Services (IIS) and any other related services on the target.

☐ **Deploy global ISAPI filters**
Deploying ISAPI filters will reset Internet Information Services (IIS) on the target.

428

Fig. 13





Fig. 14




Fig. 15





Fig. 16




Fig. 17